

# SAFETY DATA SHEET

Page: 1

Revision date: 29.03.2026

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** ProductMagic Heavy Duty Oven and Cooker Hob Cleaner

**Product code:** PM1410

**Synonyms:**PM140

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

**Company name:** Repair Products Ltd  
81 Illingworth Close,  
Mitcham,  
Surrey,  
CR4 3QF

UK GB & NI

**Tel:** +44(0)7985 195 736

**Email:** [lade@repairproducts.co.uk](mailto:lade@repairproducts.co.uk)

### 1.4. Emergency telephone number

**Emergency tel:** +44(0)7985 195 736

(office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Skin Corr. 1C: H314

**Most important adverse effects:** Causes severe skin burns and eye damage.

### 2.2. Label elements

**Label elements:**

**Hazard statements:** H314: Causes severe skin burns and eye damage.

**Hazard pictograms:** GHS05: Corrosion



[cont...]

# SAFETY DATA SHEET

## PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 2

**Signal words:** Danger

**Precautionary statements:** P102: Keep out of reach of children.

P260: Do not breathe spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Haz. ingredients (label):** Contains: SODIUM HYDROXIDE

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-XXXX

| EINECS    | CAS       | PBT / WEL | CLP Classification  | Percent |
|-----------|-----------|-----------|---------------------|---------|
| 215-185-5 | 1310-73-2 | -         | Skin Corr. 1A: H314 | 1-10%   |

SODIUM ALKYL ETHOXY SULPHATE - REACH registered number(s): 01-2119488639-16-XXXX

| EINECS    | CAS        | PBT / WEL | CLP Classification                    | Percent |
|-----------|------------|-----------|---------------------------------------|---------|
| 500-234-8 | 68891-38-3 | -         | Skin Irrit. 2: H315; Eye Dam. 1: H318 | 1-10%   |

**Contains:** Sodium Hydroxide 6.4% w/w

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

[cont...]

# SAFETY DATA SHEET

## PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 3

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

[cont...]

# SAFETY DATA SHEET

PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 4

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.  
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**SODIUM HYDROXIDE**

**Workplace exposure limits:**

**Respirable dust:**

| State | 8 hour TWA | 15 min. STEL        | 8 hour TWA | 15 min. STEL |
|-------|------------|---------------------|------------|--------------|
| UK    | -          | 2 mg/m <sup>3</sup> | -          | -            |

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Colourless

**Odour:** Barely perceptible odour

**Evaporation rate:** Slow

**Solubility in water:** Highly soluble

**Viscosity:** Non-viscous

**Boiling point/range°C:** 100

**Melting point/range°C:** 0

**Flammability limits %: lower:** Not applicable.

**upper:** Not applicable.

**Flash point°C:** Not applicable.

**Part.coeff. n-octanol/water:** Not applicable.

[cont...]

# SAFETY DATA SHEET

PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 5

**Autoflammability°C:** Not applicable.

**Vapour pressure:** Not applicable.

**Relative density:** 1.03

**pH:** 12 - 13

**VOC g/l:** 0

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Freezing

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### SODIUM HYDROXIDE

|     |     |      |     |       |
|-----|-----|------|-----|-------|
| IPR | MUS | LD50 | 40  | mg/kg |
| ORL | RBT | LDLO | 500 | mg/kg |

#### SODIUM ALKYL ETHOXY SULPHATE

|        |     |      |       |       |
|--------|-----|------|-------|-------|
| DERMAL | RAT | LD50 | >2000 | mg/kg |
| ORL    | RAT | LD50 | >2000 | mg/kg |

**Relevant hazards for product:**

| Hazard | Route | Basis |
|--------|-------|-------|
|--------|-------|-------|

[cont...]

# SAFETY DATA SHEET

## PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 6

|                               |     |                       |
|-------------------------------|-----|-----------------------|
| Skin corrosion/irritation     | DRM | Hazardous: calculated |
| Serious eye damage/irritation | OPT | Hazardous: calculated |

### Symptoms / routes of exposure

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### Section 12: Ecological information

#### 12.1. Toxicity

**Ecotoxicity values:** No data available.

#### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

#### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

**Waste code number:** 20 01 29

**Disposal of packaging:** Clean with water. Recycle container where permitted. Disposal of waste containers must be done in accordance with local and / or national regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

# SAFETY DATA SHEET

PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 7

## Section 14: Transport information

### 14.1. UN number

UN number: UN1760

### 14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.  
(SODIUM HYDROXIDE)

### 14.3. Transport hazard class(es)

Transport class: 8

### 14.4. Packing group

Packing group: III

### 14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** This product is not, nor does it contain a persistent organic pollutant (POP) according to Regulation (EC) 2019/1021 and subsequent revisions. This product is not, nor does it contain any candidate on the REACH SVHC list according to Regulation (EC) 2006/1907 and subsequent revisions.  
.This product is not classified as a List I or List II poison under the UK Poisons Act

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet has been prepared in accordance with Commission Regulation (EU) No. 2020/878.

All substances in this preparation are registered within UK/EU/EFTA countries under the REACH (UK/EC) (amended) regulations, EC 1907/2006

Detergent Regulations EC648/2004, the product contains amongst other ingredients:-

Anionic surfactants <5%

IMPORTANT NOTE:

[cont...]

## SAFETY DATA SHEET

### PROFORMULA PROFESSIONAL OVEN CLEANER

Page: 8

Risk phrases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.

See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.

**Phrases used in s.2 and s.3:** H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.